MONTEBELLO® DLX DIRECT-VENT GAS FIREPLACES





A stunning clean face design with amazing versatility to compliment contemporary or traditional décor combines with exceptional performance to make the Montebello DLX the perfect fit for your home.





Montebello® DLX with the stunning contemporary styling: Black Porcelain interior & Platinum media

DAVE LENNOX TOPE COLLECTION



Montebello® DLX shown with Red Rustic interior and Rustic oak logs.

The Montebello® DLX Direct-Vent Fireplace offers amazing versatility, with two different configurations to suit your style. Choose either a sleek, contemporary look or a traditional design for a true masonry-built appearance. Both offer an expansive ceramic-glass opening for an exceptional view of the tall, dancing flames. And with an incredible array of optional accessories to personalize to your taste, the Montebello provides endless possibilities for making your living area warm and inviting. ■



Montebello® DLX shown with Double Arch Screen and Mission style andirons and Buff Herringbone interior.

CUSTOMIZE TO YOUR TASTE

■ With the Montebello® DLX Direct-Vent Fireplace, you have the option to create a traditional masonry-style fireplace or a sleek contemporary look. Start by selecting a configuration: Each will have its own design options to choose from. Then select from an array of optional accessories to customize your fireplace. ■

CONTEMPORARY STYLING

PORCELAIN INTERIOR (required design option)

Note: Porcelain Interior may also be used with the traditional log set.

The glassy smooth porcelain interior complements the burner media while further amplifying the dynamic and impressive fire.



Montebello® DLX shown with Contemporary burner kit, Porcelain interior and Platinum media

MEDIA (required design option)

Select from five glass media options to suit your taste or to complement home décor.



Reflective Blue



Goldfinger



Reflective Black



Platinum



Copper

TRADITIONAL STYLING

INTERIOR (required design option)

Choose from four, realistic ceramic brick fireplace liners that deliver the true look of masonry craftsmanship.





Buff Rustic

Buff Herringbone





Red Rustic

Red Herringbone

LOG SET (required design option)

Choose from a finely crafted log set with detailing that replicates the natural look of real wood.



FREE-STANDING SCREENS (optional)

Add a decorative element with a free-standing designer fire screen.





Dual arch Classic

BARRIER SCREEN KIT (optional)

Create a barrier to prevent direct contact with hot glass. Attaches directly to the front of the fireplace.



ANDIRONS (optional)

Select from two andiron styles to further complement the look of a traditional hearth.



REMOTE CONTROL (standard feature)

Full-function remote offers an array of controls, including modulating flame height for total comfort and convenience.





Montebello DLX shown in contemporary style with Porcelain interior and Reflective Blue glass media.



Montebello DLX shown in transitional style with Porcelain interior and Rustic oak log set.



Montebello DLX shown in traditional style with Red Herringbone interior, Rustic oak log set and Classic style andirons.

STANDARD FEATURES

Clean-face design features ceramic glass for optimum heat transfer and safety. Tall opening provides an exceptional view of the flame.

Choose from traditional masonry fireplace look with premium split-oak logs and beautiful glowing embers or a contemporary presentation with reflective glass media and sleek porcelain interior panel.

Interior panel selections consist of ceramic brick or black porcelain.

Gas controls are conveniently located to the side of the fireplace opening for easy installation, finishing and operation.

Full-function remote offers an array of controls, including modulating flame height for total comfort and convenience.

Powerful burner system produces tall, dancing flames.

Intermittent pilot ignition with battery backup to provide continued operation in the event of a power outage.

MONTEBELLO® DLX FLAT WALL FRAMING SPECIFICATIONS Vertical framing – top vent Framing should be constructed with 2 ft. vertical vent and of 2x4 or larger lumber one 90° elbow MDLX40 MDLX45 50-3/4" 56-7/8' (1445 mm) (1289 mm) 43" 48" (1219 mm) C 75-1/8" 80-1/16' (1908 mm) (2034 mm 25-1/4" D 25-1/4" (641 mm) (641 mm) Ε 13" (330 mm) 13" (330 mm) 6-1/2' 6-1/2(165 mm) (165 mm) G 8-1/2' (216 mm) 8-1/2' (216 mm)


MONTEBELLO® DLX CORNER FRAMING SPECIFICATIONS

(381 mm)

15"

(381 mm)

15"



On the cover: Montebello® DLX shown with Buff Herringbone interior, Rustic oak logs and Mission style andirons.

PRODUCTS AND DEALERS YOU CAN COUNT ON

At Lennox, we understand how important it is for you to feel comfortable at home, so we're committed to providing you with the finest hearth products available. Choosing the right dealer for your hearth needs is every bit as important as choosing the right brand, and we think you'll agree that our dealers are a big reason why you can count on getting quality customer service when you call.




© Lennox Hearth Products LLC 2012

Visit us at www.lennoxhearthproducts.com or contact us at 1-800-655-2008

785329M 07/12

MONTEBELLO® DLX DIMENSIONS



RIGHT SIDE VIEW

	MDLX40		MDLX45	
A	8-3/8"	(213 mm)	8-3/8"	(213 mm)
В	34-3/4"	(833 mm)	40-59/64"	(1039 mm)
C	5-3/32"	(129 mm)	5-3/32"	(129 mm)
D	29-9/32"	(744 mm)	34-1/2"	(876 mm)
E	33-3/32"	(840 mm)	38-3/32"	(968 mm)
F	37-1/4"	(946 mm)	42-1/4"	(1073 mm)
G	37-5/8"	(956 mm)	43-5/8"	(1108 mm)
H	50-5/8"	(1286 mm)	56-11/16"	(1440 mm)
I	34"	(864 mm)	40-1/8"	(1019 mm)
J	25-3/8"	(644 mm)	28-5/8"	(727 mm)
K	14-1/8"	(359 mm)	14-1/8"	(359 mm)
L	26-15/32"	(672 mm)	26-15/32"	(672 mm)
M	25-29/32"	(658 mm)	25-29/32"	(658 mm)
N	25-1/2"	(648 mm)	25-1/2"	(648 mm)
0	7"	(178 mm)	7"	(178 mm)
P	19-5/8"	(498 mm)	19-5/8"	(498 mm)
Q	42-7/8"	(1089 mm)	47-7/8"	(1216 mm)

Thermal Efficiency (%) P4

	Natural	Propane
MDLX 40	35.8	42
MDLX 45	51.2	47
MDLX 40IN-PV	55.1	N/A
MDLX 45IN-PV	47.2	N/A

IMPORTANT NOTES:

As with any heating appliance, fireplace or stove, this appliance is extremely hot during operation. Read and understand all operating instructions before using this appliance. For further information, consult your dealer.

Local conditions, such as elevation, wind, vent configuration and choice of fuel will affect overall appearance of the fire and heating performance. Performance can also vary with home design and insulation, climate, condition and type of fuel used, appliance location, burn rate, accessories chosen, chimney installation and how the appliance is operated.

Diagrams, illustrations and photographs are not to scale—consult installation instructions. Product designs, materials, dimensions, specifications, colors and prices are subject to change or discontinuance without notice.







